Heavy Duty Pneumatic Applicator Professional Metal Pneumatic Air Caulking Gun with Air Flow Regulator

Basic Information

Place of Origin: Zhejiang, China
 Brand Name: toolsbuddy
 Model Number: BC-GT0135

Minimum Order Quantity: 1pcs

• Price: \$28.00/pieces 1-999 pieces

• Packaging Details: each gun in one white inner box, 10pcs per

outer carton

• Delivery Time: 30days

Payment Terms: T/T by bank transfer
 Supply Ability: 100000pcs/month



Product Specification

Grade: DIY
Warranty: NONE
Thrust Ratio: Other
Plunger Type: Smooth Rod

Customized Support: OEM, ODM, OBM

• Power Source: Air

Product Name: Metal Pneumatic Air Caulking Gun With Air

Flow Regulator

Gun Barrel Material:
 Aluminum

Gun Working Power: Air/Pneumatic Power

Handle Material: Steel Gun End Caps: Metal

Gun Colour: As Picture Showing
 Quality Control: Individually Tested
 Item Weight: 1.98 Pounds



More Images









Product Description

Product Description

Heavy Duty Pneumatic Applicator Professional Metal Pneumatic Air Caulking Gun with Air Flow Regulator


- * Good Durability Material Extends Using Period: This Caulking Gun is made of high quality material, which is Firmand sturdy, durable for a long time use
- * Provides Glossy and High Efficiency Gluing Experience: This Caulk Gun offers fast exhaust and no glue overflow, uniform glue, you can adjust the speed of glue
- * Widely Applications: Widely used in photovoltaic, solar modules, bathtubs, fish tanks, building decoration, glass doors and Windows, electronic appliances, cars and auto parts, ships and containers and other industries
- * Reduces Adhesive Overflow: The exhaust valve can reduce the overflow of the adhesive to the minimum
- * High Efficiency and Easy to Operate: This Air Caulking Gun is simple to operate for labor saving and high efficiency

Features

- * Made of high quality material, solid and sturdy, durable for a long time use.
- * Simple operation for labor saving and high efficiency.
- * Fast exhaust and no glue overflow, uniform glue, you can adjust the speed of glue.
- * The exhaust valve can reduce the overflow of the adhesive to the minimum.
- * Widely used in photovoltaic, solar modules, bathtubs, fish tanks, building decoration, glass doors and Windows, electronic appliances, cars and auto parts, ships and containers and other industries.

Item name Heavy Duty Pneumatic Applicator Professional Metal Pneumatic Air Caulking Gun with Air Flow Regulator



















Certifications













Recommend Products

Company Information

customers from at home and abroad.

24hours online service, we are sure we can provide you good service and experience.

**Crushers, shovels, silicone scrapers&trowels&nozzles and other air&battery tools. We could also make the customized plastic and metal products as your demand.

Except the quality goods, we will also do our best to provide the good service for you. For each market, we could issue the certification documents to help you save the taxes. It is also ok for us to be your agent to help you load other goods in one container to help you save freight and other fees. Our professional team will be your right choice long term parnter from China.

**The state of the products have been enjoying great popularity in the international market and are exported to many countries and

**The state of the products have been enjoying great popularity in the international market and are exported to many countries and

**The state of the products have been enjoying great popularity in the international market and are exported to many countries and

OUR ADVANTAGE



BBODIICTION BBOCEPE















stacked packaging

stacking area to be shipped







CEDTICICATIONS









Mob: 0086-13429626426 Tel: 0086-571-88213761 Fax: 0086-571-88213763 unionalisticis incaticorae Whatsapp/Viber/Wechat/Line: 0086-1342962



FAQ

- · Question(Q): What is the MOQ for each product?
- Answer(A): For retail, we can do any quantity for you and they will be sent by express. For wholesale, the MOQ usually is 500pcs. You can also mix different items and we can ship them to you by sea altogether. For details pls contact us by email or online chatting.
- \cdot Q: What is the lead time and shipping time?
- A: Goods usually take about 30 days to finish. It will take about 15 to 35 days on the sea from shipping port to destination port. For South Asia and Oceania, it usually takes about 15days. For other regions, it usually takes about 25 to 35 days. The shipping time is changing with the distance and the shipping company we choose.
- · Q: Can the products be made with our logo or brand?
- A: Yes, of course we can make. We are OEM supplier for years and able to customize your logo and packaging, but you need to give us the authorization and design.
- \cdot Q: What can we do if we are interested in your products?
- A: Pls send us your precious inquiry on our website or talk directly to us by trade manager. Sometimes it will be more efficient if you talk with us online. We can know each other and the products you want more clearly by talking online.
- · Q: How can we place the order?
- · A: after we confirm everything necessary for the order, including detailed products you want, prices, payment terms, packing ways and other details, we will draft the contract. Usually we will send to you the PI(proforma invoice) for advance payment first. Then we will arrange the production. After the goods are ready we will contact you for shipping.
- \cdot Q: How do I know the products' quality and the packing ways are the ones we required?
- A: Each product will be tested before sending out. We will send you photos of the goods for you to confirm.
- · Q: How do we make the payment?
- A: We usually accept the payment by T/T, west union and other payment ways. We will confirm this when we conclude the order.

Any questions, pls feel free to contact us. We will negotiate everything well for our mutual benefit.

TOOLSBUDDY HANGZHOU HAISHI TOOLS CO.,LTD



+86-13429626426



info@sealantgun.com



sealantgun.com

No.168, Jian Ding Road, Hangzhou City, Zhejiang China